

Product

Name

STEPANPOL[®] T-327

Chemical
Description

STEPANPOL T-327 is branched medium aromaticity modified polyester polyol.

Applications

STEPANPOL T-327 can be used for production rigid polyurethane PUR for continuous and discontinuous lamination (water blown) spray, moulding, adhesives. It gives foam with excellence processing and very good mechanical features,. Product improves adhesion and surface curing. The recycle content of this polyol can form an important contribution to the overall environmental footprint of the end product.

Typical
Properties*

| | |
|---------------------------------|-------|
| Hydroxyl Number, mg KOH/g | 330 |
| Water, % by wt.,..... | 0.15 |
| Acid Number, mg KOH/g..... | 2.5 |
| Viscosity @ 25°C, cPs | 5 000 |

* For information only. Actual sales specification data sheet available upon request.

Storage &
Handling

Storage in sealed containers at temperatures of 20 - 60°C is recommended. Extended storage or exposure to low temperatures may result in the formation of haze and/or phase separation. The product may be reconstituted by warming to 50-60°C and mixing.

Additional
Safety
Information

A Material Safety Data Sheet is available upon request.

For Additional
Assistance

For applications or product handling assistance, call our Corporate Offices at (48) 71 794 22 25 .
For ordering assistance, call our Customer Service Department at (48) 667 650 908 .

Nothing contained herein grants or extends a license, express or implied, in connection with patents, issued or pending, of the manufacturer or others. The information contained herein is based on the manufacturer's own study and the works of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness, or adequacy of the information contained herein. The manufacturer shall not be liable (regardless of fault) to the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of such information.

Stepan

Stepan Polska

Sylwia Woloszyn
Urazka 8 a,b,c
56-120 Brzeg Dolny, Poland
Telephone (48) 667 650 908